



Shaft Grounding Ring™

Conductive MicroFiber™ Motor Shaft Grounding Brush

Patented Technology



All dimensions in inches

Catalog Number **Min. shaft diameter** **Max. shaft diameter** **Outside diameter** **Thickness**

Catalog Number **Min. shaft diameter** **Max. shaft diameter** **Outside diameter** **Thickness**

SGR-6.9-1	0.311	0.355	1.60	0.28
SGR-8.0-1	0.356	0.395	1.60	0.28
SGR-9.0-1	0.396	0.435	1.60	0.28
SGR-10.1-1	0.436	0.480	1.60	0.28
SGR-11.2-1	0.481	0.520	1.60	0.28
SGR-12.2-1	0.521	0.560	1.60	0.28
SGR-13.2-1	0.561	0.605	1.60	0.28
SGR-14.4-1	0.606	0.645	1.60	0.28
SGR-15.4-1	0.646	0.685	2.10	0.28
SGR-16.4-1	0.686	0.730	2.10	0.28
SGR-17.6-1	0.731	0.774	2.10	0.28
SGR-18.7-1	0.775	0.815	2.10	0.28
SGR-19.7-1	0.816	0.855	2.10	0.28
SGR-20.7-1	0.856	0.895	2.10	0.28
SGR-21.7-1	0.896	0.935	2.10	0.28
SGR-22.8-1	0.936	0.980	2.10	0.28
SGR-23.9-1	0.981	1.020	2.10	0.28
SGR-24.9-1	1.021	1.060	2.10	0.28
SGR-25.9-1	1.061	1.105	2.10	0.28
SGR-27.1-1	1.106	1.145	2.10	0.28
SGR-28.1-1	1.146	1.185	2.10	0.28
SGR-29.1-1	1.186	1.230	2.10	0.28
SGR-30.3-1	1.231	1.270	2.10	0.28
SGR-31.3-1	1.271	1.310	2.10	0.28
SGR-32.3-1	1.311	1.355	2.10	0.28
SGR-33.4-1	1.356	1.395	2.10	0.28
SGR-34.4-1	1.396	1.435	2.68	0.26
SGR-35.5-1	1.436	1.480	2.68	0.26
SGR-36.6-1	1.481	1.520	2.68	0.26
SGR-37.6-1	1.521	1.560	2.68	0.26
SGR-38.6-1	1.561	1.605	2.68	0.26
SGR-39.8-1	1.606	1.645	2.68	0.26
SGR-40.8-1	1.646	1.685	2.68	0.26
SGR-41.8-1	1.686	1.730	2.68	0.26
SGR-43.0-1	1.731	1.770	2.68	0.26
SGR-44.0-1	1.771	1.810	2.68	0.26
SGR-45.0-1	1.811	1.855	2.68	0.26
SGR-46.1-1	1.856	1.895	2.68	0.26
SGR-47.1-1	1.896	1.935	2.68	0.26
SGR-48.2-1	1.936	1.980	2.68	0.26
SGR-49.3-1	1.981	2.020	2.68	0.26
SGR-50.3-1	2.021	2.060	3.10	0.28
SGR-51.3-1	2.061	2.105	3.10	0.28
SGR-52.5-1	2.106	2.145	3.10	0.28
SGR-53.5-1	2.146	2.185	3.10	0.28
SGR-54.5-1	2.186	2.230	3.10	0.28
SGR-55.7-1	2.231	2.270	3.10	0.28
SGR-56.7-1	2.271	2.310	3.10	0.28
SGR-57.7-1	2.311	2.355	3.10	0.28
SGR-58.8-1	2.356	2.395	3.10	0.28
SGR-59.8-1	2.396	2.435	3.60	0.28
SGR-60.9-1	2.436	2.480	3.60	0.28
SGR-62.0-1	2.481	2.520	3.60	0.28
SGR-63.0-1	2.521	2.560	3.60	0.28
SGR-64.0-1	2.561	2.605	3.60	0.28
SGR-65.2-1	2.606	2.645	3.60	0.28
SGR-66.2-1	2.646	2.685	3.60	0.28
SGR-67.2-1	2.686	2.730	3.60	0.28
SGR-68.4-1	2.731	2.770	3.60	0.28
SGR-69.4-1	2.771	2.810	3.60	0.28
SGR-70.4-1	2.811	2.855	3.60	0.28
SGR-71.5-1	2.856	2.895	3.60	0.28
SGR-72.5-1	2.896	2.935	4.10	0.28
SGR-73.6-1	2.936	2.980	4.10	0.28
SGR-74.7-1	2.981	3.020	4.10	0.28
SGR-75.7-1	3.021	3.060	4.10	0.28
SGR-76.7-1	3.061	3.105	4.10	0.28
SGR-77.9-1	3.106	3.145	4.10	0.28
SGR-78.9-1	3.146	3.185	4.10	0.28

SGR-79.9-1	3.186	3.230	4.10	0.28
SGR-81.1-1	3.231	3.270	4.10	0.28
SGR-82.1-1	3.271	3.310	4.10	0.28
SGR-83.1-1	3.311	3.355	4.10	0.28
SGR-84.2-1	3.356	3.395	4.10	0.28
SGR-85.2-1	3.396	3.435	4.60	0.28
SGR-86.3-1	3.436	3.480	4.60	0.28
SGR-87.4-1	3.481	3.520	4.60	0.28
SGR-88.4-1	3.521	3.560	4.60	0.28
SGR-89.4-1	3.561	3.605	4.60	0.28
SGR-90.6-1	3.606	3.645	4.60	0.28
SGR-91.6-1	3.646	3.685	4.60	0.28
SGR-92.6-1	3.686	3.730	4.60	0.28
SGR-93.8-1	3.731	3.770	4.60	0.28
SGR-94.8-1	3.771	3.810	4.60	0.28
SGR-95.8-1	3.811	3.855	4.60	0.28
SGR-96.9-1	3.856	3.895	4.60	0.28
SGR-97.9-1	3.896	3.935	5.10	0.28
SGR-99.0-1	3.936	3.980	5.10	0.28
SGR-100.1-1	3.981	4.020	5.10	0.28
SGR-101.1-1	4.021	4.060	5.10	0.28
SGR-102.1-1	4.061	4.105	5.10	0.28
SGR-103.3-1	4.106	4.145	5.10	0.28
SGR-104.3-1	4.146	4.185	5.10	0.28
SGR-105.3-1	4.186	4.230	5.10	0.28
SGR-106.5-1	4.231	4.270	5.10	0.28
SGR-107.5-1	4.271	4.310	5.10	0.28
SGR-108.5-1	4.311	4.355	5.10	0.28
SGR-109.6-1	4.356	4.395	5.10	0.28
SGR-110.6-1	4.396	4.435	5.60	0.28
SGR-111.7-1	4.436	4.480	5.60	0.28
SGR-112.8-1	4.481	4.520	5.60	0.28
SGR-113.8-1	4.521	4.560	5.60	0.28
SGR-114.8-1	4.561	4.605	5.60	0.28
SGR-116.0-1	4.606	4.645	5.60	0.28
SGR-117.0-1	4.646	4.685	5.60	0.28
SGR-118.0-1	4.686	4.730	5.60	0.28
SGR-119.2-1	4.731	4.770	5.60	0.28
SGR-120.2-1	4.771	4.810	5.60	0.28
SGR-121.2-1	4.811	4.855	5.60	0.28
SGR-122.3-1	4.856	4.895	5.60	0.28
SGR-123.3-1	4.896	4.935	6.10	0.28
SGR-124.4-1	4.936	4.980	6.10	0.28
SGR-125.5-1	4.981	5.020	6.10	0.28
SGR-126.5-1	5.021	5.060	6.10	0.28
SGR-127.5-1	5.061	5.105	6.10	0.28
SGR-128.7-1	5.106	5.145	6.10	0.28
SGR-129.7-1	5.146	5.185	6.10	0.28
SGR-130.7-1	5.186	5.230	6.10	0.28
SGR-131.9-1	5.231	5.270	6.10	0.28
SGR-132.9-1	5.271	5.310	6.10	0.28
SGR-133.9-1	5.311	5.355	6.10	0.28
SGR-135.0-1	5.356	5.395	6.10	0.28
SGR-136.0-1	5.396	5.435	6.60	0.28
SGR-137.1-1	5.436	5.480	6.60	0.28
SGR-138.2-1	5.481	5.520	6.60	0.28
SGR-139.2-1	5.521	5.560	6.60	0.28
SGR-140.2-1	5.561	5.605	6.60	0.28
SGR-141.4-1	5.606	5.645	6.60	0.28
SGR-142.4-1	5.646	5.685	6.60	0.28
SGR-143.4-1	5.686	5.730	6.60	0.28
SGR-144.6-1	5.731	5.770	6.60	0.28
SGR-145.6-1	5.771	5.810	6.60	0.28
SGR-146.6-1	5.811	5.855	6.60	0.28
SGR-147.7-1	5.856	5.895	6.60	0.28
SGR-148.7-1	5.896	5.935	7.10	0.28
SGR-149.8-1	5.936	5.980	7.10	0.28
SGR-150.9-1	5.981	6.020	7.10	0.28

All prices are subject to change without notice

- **STANDARD SGR - ENGLISH HARDWARE**
- Stock parts: usually ship same or next business day
- Special order parts: call for estimated ship date
- Includes mounting brackets and hardware (6-32 screws and washers)

- **Standard Terms**
- Visa and Mastercard accepted
- Invoice terms: Net 30 days from invoice date
- Shipping terms: Ex-works, Mechanic Falls, ME
- Standard shipping method is UPS Ground PP&A unless otherwise specified.



31 Winterbrook Road
 Mechanic Falls, ME 04256 USA
 Tel: 866-738-1857
 Fax: 207-998-5143
 email: sales@est-aegis.com
 www.est-aegis.com