



Apply EP2400 Conductive Epoxy To Back Side Of Aegis Ring And Press Firmly Against End Bell

Conductive Micro Fiber

Note:
Aegis Supplied With EP2400 Conductive Epoxy

Patented Technology

SGR DD	
1.60" (40.6mm)	4.60" (116.8mm)
2.10" (53.3mm)	5.10" (129.5mm)
2.68" (68.1mm)	5.60" (142.2mm)
3.10" (78.7mm)	6.10" (154.9mm)
3.60" (91.4mm)	6.60" (167.6mm)
4.10" (104.1mm)	7.10" (180.3mm)

THEREIN, ARE THE EXCLUSIVE PROPERTY OF ELECTRO STATIC TECHNOLOGY ISSUED IN STRICT CONFIDENCE AND SHALL NOT WITHOUT CONSENT, BE REPRODUCED, COPIED OR USED FOR ANY PURPOSE WHATSOEVER, EXCEPT BUSINESS WITH E.S.T.

ELECTRO STATIC TECHNOLOGY
AN ITV COMPANY

31 WINTERBROOK ROAD, MECHANIC FALLS, MAINE 04256
PHONE (207)998-5140 FAX (207)998-5143

4/20/2010
ENGINEER: J. Richardson

EST P/N: _____ REV: _____